






# DATENBLATT KVERTS C6/5 OHNE FENSTER, GUMMIERT

Um eine fehlerfreie und termingerechte Auftragsabwicklung zu gewährleisten und ein optimales Druckergebnis zu garantieren, bitten wir Sie, die nachfolgenden Anforderungen an Ihre Druckdatei zu beachten.



-  Beschnittzugabe
-  Schnittmarke
-  Schneiderand


Aktuelle Informationen zu Gestaltungsvorschriften eines Kuverts finden Sie auf der Webseite der Schweizerischen Post: [www.post.ch](http://www.post.ch)

**TIPP!**

Endformat:	229 x 114 mm
Dokumentformat:	235 x 120 mm (auf jeder Seite werden 3 mm abgeschnitten)
Beschnitt:	3 mm
Auflösung:	optimal 300 dpi (minimal 150 dpi)
Farbmodus:	CMYK, Pantone-Farben
Schnittmarken:	ausserhalb des Beschnitts
Datenformate:	PDF, JPG, TIF, EPS, PSD, AI
Schriften:	Schriften in Kurven umgewandelt
Zusatzkosten:	Konvertierung von Office-Daten (Word, Powerpoint, Excel, Publisher)
Bedruckbarer Bereich:	3-seitig randabfallend, Greiferrand 9-10 mm grün dargestellt.

**Hilfe?** Wir beraten Sie gerne.

Afin que nous puissions assurer une exécution sans erreurs et dans les délais de votre commande et garantir ainsi un résultat d'impression optimal, veuillez respecter les exigences suivantes pour votre fichier d'impression.



— BORD DU DOCUMENT

## SUGGESTION!



**Aide?** Nous nous ferons un plaisir de vous conseiller.

# FACT SHEET

## ENVELOPES C6/5

### WINDOWLESS, GUMMED

To ensure that your order can be processed correctly and on schedule and also guarantee the very best print result possible, we ask that you please keep the following requirements in mind with regard to your print file.



- Bleed difference
- Trim marks
- Cutting edge

The latest information regarding design requirements for envelopes can be found on the Swiss Post website: [www.post.ch](http://www.post.ch)

**TIP!**

Final format:	229 x 114 mm
Document format:	235 x 120 mm (3 mm will be trimmed off each edge)
Bleed:	3 mm
Resolution:	Optimum 300 dpi (minimum 150 dpi)
Colour mode:	CMYK, Pantone colours
Trim marks:	outside the bleed
File formats:	PDF, JPG, TIF, EPS, PSD, AI
Fonts:	Fonts converted into curves
Additional fees:	Conversion of Office files (Word, PowerPoint, Excel, Publisher)
Printable area:	bleed-off on 3 sides, 9-10 mm gripper edge displayed in green.

**Help?** We are happy to advise you.