



DATENBLATT FOTOWAND 3-TEILIG 4000 x 2000 mm

Um eine fehlerfreie und termingerechte Auftragsabwicklung zu gewährleisten und ein optimales Druckergebnis zu garantieren, bitten wir Sie, die nachfolgenden Anforderungen an Ihre Druckdatei zu beachten.



- Beschnittzugabe
- Schnittmarke
- Schneiderand

Sie sind auf der Suche nach Gestaltungsvorlagen? Schauen Sie in unserem Download-center vorbei.

Elemente, die nicht angeschnitten werden dürfen (Bilder, Logos, Texte), sollten 2-3 mm entfernt vom Schneiderand platziert werden.

Schriften unter 7pt, so wie Light/Thin-Schriftschnitte unter 9pt können im Druck nicht optimal wiedergegeben werden. Bitte achten Sie darauf, kritische Schriftgrößen und Schriftschnitte zu vermeiden.

TIPP!

- Grundmasse: 400 x 4000 x 2100 mm (L/B/H) (inkl. Sockel)
- Sockelmasse: 400 x 4000 x 100 mm (L/B/H)
- Endformat: 4000 x 2075 mm
- Dokumentformat: 4006 x 2081 mm
(auf jeder Seite werden 3 mm abgeschnitten)
- Beschnitt: 3 mm
- Auflösung: optimal 300 dpi (minimal 150 dpi)
- Farbmodus: CMYK
- Schnittmarken: ausserhalb des Beschnitts
- Datenformate: PDF, JPG, TIF, EPS, PSD, AI
- Schriften: Schriften in Kurven umgewandelt
- Zusatzkosten: Konvertierung von Office-Daten (Word, Powerpoint, Excel, Publisher)



Hilfe? Wir beraten Sie gerne.

FACT SHEET

PHOTO WALL 3-PANEL

4000 x 2000 mm

To ensure that your order can be processed correctly and on schedule and also guarantee the very best print result possible, we ask that you please keep the following requirements in mind with regard to your print file.



- Bleed difference
- Trim marks
- Cutting edge

Looking for templates? Then stop by our Download Centre.

Any elements that must not be trimmed (images, logos, text) should be positioned 2-3 mm away from the cutting edge.

Fonts smaller than 7pt in size as well as light/thin font styles under 9pt cannot be rendered properly during printing. Please take care to avoid problematic font sizes and styles.

TIP!

- Basic dimensions: 400 x 4000 x 2100 mm (LxWxH) (incl. base)
- Base dimensions: 400 x 4000 x 100 mm (LxWxH)
- Final format: 4000 x 2075 mm
- Document format: 4006 x 2081 mm
(3 mm will be trimmed off each edge)
- Bleed: 3 mm
- Resolution: Optimum 300 dpi (minimum 150 dpi)
- Colour mode: CMYK
- Trim marks: outside the bleed
- File formats: PDF, JPG, TIF, EPS, PSD, AI
- Fonts: Fonts converted into curves
- Additional fees: Conversion of Office files (Word, PowerPoint, Excel, Publisher)

Help? We are happy to advise you.